TRUSTED SINCE 1926
BONIDE

CAPTAIN JACK'S

LAWNWEED BREW

Ready to Use

Kills weeds, not lawns

Kills weeds down to the root

Controls weeds, disease, moss, algae, & lichens in lawns

Works in cool weather (down to 50°F)

ACTIVE INGREDIENT:	
Iron HEDTA (FeHEDTA)	1.50%
OTHER INGREDIENTS:	98.50%
TOTAL:	100.00%

EPA Est. No. 4-NY-1 EPA Reg. No. 67702-27-4

Keep Out Of Reach Of Children

CAUTION (See Back Panel for Additional Precautionary Statements)

Derived from iron (Fe) which occurs in nature

LAWNWEED BREW

Ready to Use

- ✓5 in 1! Controls Disease, Weeds, Moss, Algae and Lichens in Turf
- ✓Kills many common weeds like dandelion, clover, moss, narrow-leaved plantain, chickweed and thistle
- ✓Promotes healthy, weed- and disease-free lawns
- ✓Kills weeds down to the root

NEUDORFF

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE SITES

Use to selectively control/suppress broadleaf weeds and diseases growing in lawns.

Pests

Controls or suppresses weeds such as but not limited to:

- Black medic (Medicago lupulina)
- Broadleaf plantain (*Plantago major*)
- Bull thistle (*Cirsium vulgare*)
- Canada thistle (*Cirsium arvense*)
- Common chickweed (*Stellaria media*)
- Creeping buttercup (*Ranunculus repens*)
- Creeping charlie/Ground ivy (*Glechoma hederacea*)
- Dandelion (*Taraxicum officinale*)
- Dovefoot geranium (*Geranium molle*)
- English daisy (*Bellis perennis*)
- False dandelion (*Hypochoeris radicata*)
- Healall (*Prunella vulgaris*)
- Moss, liverworts, algae and lichens
- Narrow-leaved plantain (*Plantago lanceolata*)
- Oxalis (*Oxalis* spp.)
- Persian Speedwell (*Veronica persica*)
- Prostrate knotweed (*Polygonum aviculare*)
- Shepard's-purse (*Capsella bursa-pastoris*)
- Silverweed cinquefoil (*Potentilla anserina*)
- Slender speedwell (*Veronica filiformis*)
- White clover (*Trifolium repens*)
- Wild chamomile (*Matricaria chamomilla*)

Controls or suppresses diseases such as but not limited to:

- Dollar spot
- Rust
- Snow mold

APPLICATION DIRECTIONS

Shake well before using.
Do not dilute. Thoroughly spray weeds. Use a coarse nozzle setting to reduce drift. Repeat treatment in 3 to 4 weeks for best results.

WHAT WILL I SEE?

Works quickly; dying weeds will be seen within hours of application. Treated weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment, however the grass will recover within a few days to weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

USE PRECAUTIONS

Do not apply to drought stressed grass. Ensure lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 85°F. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area to your lawn. Do not apply to newly seeded areas prior to grass seed germination. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed with water. To avoid staining wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply to the same area more than 4 times a year, not including spot treatments.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

THIS PAGE INTENTIONALLY LEFT BLANK

THIS PAGE INTENTIONALLY LEFT BLANK