

TRUSTED SINCE 1926

BONIDE®

REVITALIZE®

Biofungicide

Ready to Use

Triggers plant immune response

Controls listed blights, molds, rots,
spots and mildews

For indoor/outdoor use

ACTIVE INGREDIENT:

Bacillus amyloliquefaciens strain D747* ...9.88%

OTHER INGREDIENTS:90.12%

TOTAL:100.00%

*Contains a minimum of 5×10^8 colony-forming
units (cfu) per milliliter

EPA Est. No. 4-NY-1 EPA Reg. No. 70051-114-4

Keep Out Of Reach Of Children

CAUTION (See back booklet for additional
Precautionary Statements and First Aid)



**FOR ORGANIC
GARDENING**

REVITALIZE[®]

Biofungicide Ready to Use

- ✓ Provides fungal and bacterial plant protection
- ✓ Controls listed blights, mold, rots, spots, and mildews, on vegetables, fruits, nuts, ornamental trees, shrubs, flowers, houseplants and tropical plants grown in and around the home
- ✓ May be used up to the day of harvest



Store and transport in an upright position.
EPA Reg. No. 70051-114-4 EPA Est. No. 4-NY-1
©Bonide Products, LLC All Rights Reserved
To the extent consistent with applicable law buyers guarantee limited to label claims.

BN

Distributed by:
Bonide Products, LLC
6301 Sutliff Road
Oriskany, NY 13424

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is a broad-spectrum preventative biofungicide/bactericide for control or suppression of fungal and bacterial plant diseases on houseplants, indoor and/or outdoor potted plants, ornamental plants, tropical plants, bedding plants, roses, vegetables, fruits, nuts, flowers, foliage, trees, and shrubs in and around homes, residential landscapes, home gardens and residential greenhouses.

APPLICATION INSTRUCTIONS

Shake well before using. Spray leaves, stems, roots (soil) and new shoots to runoff, providing complete coverage of the entire plant. For best results, treat plants before disease development or at the first visible signs of infection. Repeat at weekly intervals or as needed. Spray interval may be shortened under conditions favorable to rapid disease development, such as high humidity, excessive rain, or other conditions of extreme moisture. Allow spray to dry at least 4 hours before watering if foliage will also be watered.

This product may be used on the following plants:

Houseplants, indoor and/or outdoor potted plants, ornamental plants, tropical plants, bedding plants, roses, vegetables, fruits, nuts, flowers, foliage, trees and shrubs in and around the homes, residential landscapes, home gardens and residential greenhouses.

DISEASES CONTROLLED BY THIS PRODUCT

Anthracnose (*Colletotrichum* species), Bacterial leaf blights, spots, and specks (*Erwinia*, *Pseudomonas*, and *Xanthomonas* species), Black mold, brown spot, black crown rot (*Alternaria* species) Black spot of roses (*Diplocarpon rosae*) Gray mold, Botrytis blight, fruit rot (*Botrytis* species) Leaf spots (*Alternaria*, *Cercospora*, *Entomosporium*, *Helminthosporium*, *Myrothecium*, and *Septoria* species) Powdery mildews (*Podosphaera*, *Erysiphe*, *Golovinomyces*, *Sphaerotheca* and *Oidium* species; *Uncinula necator*, *Oidiopsis taurica*, *Leveillula taurica*).

DISEASES SUPPRESSED BY THIS PRODUCT

Downy mildew (Bremia lactucae, Peronospora and Plasmopara species), Early blight (Alternaria solani), Late blight (Phytophthora infestans), Fire blight (Erwinia amylovora): Disease suppression only Pin rot (Alternaria/Xanthomonas complex), Scab (Venturia species)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Store this product in its original container only, in an area inaccessible to children. Keep the container closed when not in use.

Pesticide Disposal and Container Handling:

Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

- | | |
|--|--|
| | <ul style="list-style-type: none">• Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for further treatment advice. |
| | <ul style="list-style-type: none">• Hold eyes open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for further treatment advice. |
| | <ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice. |

Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Harmful if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

WARRANTY

Bonide Products, LLC warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purpose referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the disease problem, condition of the plant, incompatibility with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the seller. To the extent consistent with applicable law, buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herein. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.**