



CAPTAIN JACK'S

for
Organic
Gardening

NeemMAX

Ready to Use

4-in-1

**FUNGICIDE, INSECTICIDE,
MITICIDE AND NEMATICIDE***

Cold Pressed Neem Oil

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT. Shake Well Before Using

*for use on listed pest and crops

KEEP OUT OF REACH OF CHILDREN

See back label for additional precautionary statements, directions for use, storage and disposal statements.

ACTIVE INGREDIENT:	
Cold Pressed Neem Oil	1.0%
OTHER INGREDIENTS:	99.0%
TOTAL	100.0%

EPA Reg. No. 88760-12-4
EPA Est. No. 4-NY-1

Net Contents 1 Quart (32 fl. oz.) (946 mL) Quart #2009 v12/25

TRUSTED SINCE 1926
BONIDE



NeemMAX

Ready to Use

4-IN-1 Insecticide, FUNGICIDE,
MITICIDE, NEMATOCIDE*

- ✓ Contains Cold-pressed Neem Oil that keeps the full spectrum of limonoids. Limonoids stop the insect lifecycle.
- ✓ Kills eggs, larvae and adult insects
- ✓ For organic gardening
- ✓ Dormant and growing season applications

*For use on listed pest and crops

EPA Reg. No. 88760-12-4 EPA Est. No. 4-NY-1

©Bonide Products, LLC All Rights Reserved.

Distributed by:

Bonide Products, LLC

6301 Sutliff Road

Oriskany, NY 13424

Quart #2009 v12/25

BN



- ✓ Cold-pressed from seeds of the Neem Tree
- ✓ For organic gardening
- ✓ Kills eggs, larvae and adult insects
- ✓ For indoor and outdoor vegetables, ornamentals, flowers, trees, shrubs and houseplants
- ✓ Kills insect eggs before they hatch
- ✓ Use for the prevention and control of powdery mildew, botrytis, stem mildew and others as listed on the label.
- ✓ Spray right up to the time of harvest
- ✓ Dormant and growing season applications

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS BEFORE USING THIS PRODUCT

Shake Well Before Use

GENERAL INFORMATION

This product is a ready to use spray. Shake well before using.

This product controls listed insects on contact or by ingestion. The product acts on insects by way of repellence, anti-feedant action and interference with the molting process. This product controls listed diseases by inhibiting mycelial fungal growth. The efficacy of this product is dependent on weather conditions, intensity of pest population, area of application, and physical stages of pests and crops.

CROP USES

This product may be used on bulbs, cucurbits, fruiting vegetables, leafy and brassica (cole) vegetables, legumes, root and tuber vegetables, small fruit and berries, citrus and tropical fruits, pome and stone fruits, tree nuts, herbs and spices, grass, lawn and ornamentals.

APPLICATION AND DRENCH DIRECTIONS

Apply this product as a foliar spray or as a soil drench to control listed pests. When applied as a soil drench, avoid excessive runoff. When using as a foliar application, ensure thorough coverage of plant surfaces, but avoid pooling or run off.

Avoid spraying under conditions of high humidity and high temperature (>90°F). To avoid potential leaf burn, apply the product in early morning or late evening. Always test the product on a small portion of plants for compatibility before treating the entire plants.

(1) To Control Insects or Mites: Apply this product at the first sight of insects/mites in a 7 - 10 day interval. For heavy insect populations, apply in a 7 day interval. This product is most effective when applied before insects or eggs are present in large numbers.

(2) To Control Diseases: This product is most effective in controlling diseases when applied as a preventative before the diseases are present. Apply the product to cover all the plant tissue in a 10-14 day interval.

(3) To Control Nematodes and for soil use: Apply to achieve a complete coverage of the soil with a 10-14 day interval.

PESTS

This product may be used to control a variety of insects and diseases listed below.

<p>Aphids such as: Cotton Aphid Cowpea Aphid Pea Aphid Green Peach Aphid</p> <p>Beetles such as: Cucumber Beetle Japanese Beetle Spotted Cucumber Beetle</p> <p>Borers such as: Peachtree Borers Peach Twig Borers</p> <p>Caterpillar/Moths/ Worms such as: Armyworms Budworms Cutworms Diamondback Moth Gypsy Moth Leafrollers Loopers Naval Orange Worm</p>	<p>Grasshoppers such as: Carolina Grasshopper Rice Grasshopper</p> <p>Leafhoppers such as: Grape Leafhopper Potato Leafhopper</p> <p>Leafminer such as: Citrus Leafminer Tomato Leafminer Vegetable Leafminer</p> <p>Maggots/Grubs such as: Apple Maggots Onion Maggots</p> <p>Mealy Bugs such as: Citrus Mealy Bug</p>	<p>Mites such as: Pacific Spider Mites Red Spider Mite Spider Mites Two Spotted Spider Mite</p> <p>Scales such as: California Red Scale Coffee Green Scale San Jose Scale Soft Scale</p> <p>Thrips such as: Flower Thrip Grape Thrip Onion Thrip Western Flower Thrip</p> <p>True Plant Bugs such as: Lygus Bug Phylloxera Spittle Bug Stink Bug Tomato Stink Bug</p>	<p>Weevils such as: Black Vine Weevil Boll Weevil Pepper Weevil</p> <p>Wireworms such as: Field/Wheat Wireworm</p>
---	--	---	--

Flies/Gnats such as:

Fruit Fly
Fungus Gnat
Walnut Husk Fly

Psyllids**such as:**

Asian Citrus Psyllid
Pear Psyllid
Potato Psyllid

Whiteflies**such as:**

Cotton Whitefly
Silverleaf Whitefly
Greenhouse Whitefly

Foliar Fungal**Diseases**

Alternaria
Anthracnose
Blight
(early, late leaf)
Black Spot
Brown Rot or Fruit Rot
Botrytis
Downey Mildew
Molds
Powdery Mildew
Rust

Foliar Fungal**Diseases Cont.**

Scab
Stem Mildew
Southern Blight
Sour Rot Grapes

Soil Fungal**Diseases**

Fusarium Oxysporum
Pythium
Rhizoctonia Solani

Nematodes such as:

Dagger Nematode
Lance Nematode
Lesion Nematode
Reniform Nematode

Root Knot Nematode
Soybean Cyst
Nematode
Sting Nematode

STORAGE AND DISPOSAL

Store in room temperature (>72°F) where possible. Do not store this product above 104°F for extended periods of time. Avoid storing below 35°F to prevent freezing. Store out of reach of children and pets and away from direct sunlight, windows, flames and other sources of heat or ignitions. Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

WARRANTY

Bonide Products, LLC warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Bonide Products, LLC makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Bonide Products, LLC's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Bonide Products, LLC shall have no liability for consequential damages.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents) call Chemtec at 1-800-424-9300.

CAPTAIN JACK'S® NeemMax
Ready to Use

TRUSTED SINCE 1926

BONIDE®

ACTIVE INGREDIENTS

Cold Pressed Neem Oil.....1.0%

OTHER INGREDIENTS:.....99.0%

TOTAL.....100.0%

KEEP OUT OF REACH OF CHILDREN

See label booklet for additional precautionary statements,
directions for use, storage and disposal statements.

STORAGE AND DISPOSAL

Store in room temperature (>72°F) where possible. Do not store this product above 104°F for extended periods of time. Avoid storing below 35°F to prevent freezing. Store out of reach of children and pets and away from direct sunlight, windows, flames and other sources of heat or ignitions. Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

Distributed by:
Bonide Products, LLC
6301 Sutliff Road Oriskany, NY 13424

EPA Reg. No. 88760-12-4
EPA Est. No. 4-NY-1
Quart #2009 v.12/25