

Needy to Use

Can be used up to day of harvest

3 garden products in one

Controls blackspot, powdery mildew, rust, spider mites, aphids, whiteflies & other insect pests

For use on roses, flowers, houseplants, ornamental trees and shrubs, fruits.

nuts and vegetables

ACTIVE INGREDIENT:

EPA Est No. 4-NY-1 (A), 88746-MO-1 (B)

EPA Reg. No. 70051-13-4

Keep Out Of Reach Of Children CAUTION (See Back Panel for Additional Precautionary Statements and First Aid)





Ready to Use

- ✓ Multi-purpose fungicide/insecticide/miticide-3 in 1 product
- √ Kills eggs, larvae and adult stages of insects
- ✓ Prevents fungal attack of plant tissues
- √ For organic gardening

EPA Reg. No. 70051-13-4 EPA Est. No. 4-NY-1(A), 88746-MO-1(B)

©Bonide Products, LLC All Rights Reserved
Distributed by:
Bonide Products. LLC

6301 Sutliff Road Oriskany, NY 13424

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL INFORMATION

- Three garden products in one.
- Multi-purpose fungicide/insecticide/miticide-3 in 1 product.
- Kills eggs, larvae and adult stages of insects.
- Prevents fungal attack of plant tissues.
- · Not for use in food-handling areas.
- Shake well before using.
- Thorough plant coverage is essential to obtain optimal levels of control.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment

- As with other pest control products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue.
 Check for leaf burn in small-scale trials prior to use.

FUNGICIDE USE

Application Instructions

- CAPTAIN JACK's™ Neem Oil Ready to Use is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust leaf spot, botrytis, needle rust, scab, and flower, twig and tip blight.
- CAPTAIN JACK's™ Neem Oil Ready to Use may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- As a preventative, apply CAPTAIN JACK's[™]
 Neem Oil Ready to Use on a 7 to 14 day schedule
 until the potential for disease development is
 no longer present. Spray to run off. Complete
 coverage of all plant tissue is necessary for
 control.

- To control disease already present, apply CAPTAIN JACK's™ Neem Oil Ready to Use on a 7- day schedule until disease pressure is eliminated. Then continue spraying on 14-day schedule to prevent the disease from recurring. Spray to run off. Complete coverage of all plant tissue is necessary for control
- To prevent rust leaf spot diseases, anthracnose, and scab, begin applications at the first sign of spring budding.
- To prevent powdery mildew, apply in midsummer or when disease is first detected.
 Continue applications until disease pressure no longer exists.
- To prevent black spot on roses, begin applications at first bud emergence in spring. Apply CAPTAIN JACK's™ Neem Oil Ready to Use on a 14-day preventative schedule through the spring and fall to prevent disease emergence.

INSECTICIDE USE

Application Instructions

- ČAPTAIN JACK's™ Neem Oil Ready to Use is an effective insecticide for the control of various insect pests including whiteflies, mealy bugs, armyworms, hornworms, leafhoppers, bagworms, leafminers, psyllids, fruit flies, loopers, budworms, beetles (including Japanese beetles), aphids, scales, caterpillars, midges, and mites (including spider mites).
- CAPTAIN JACK's™ Neem Oil Ready to Use may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- Apply CAPTAIN JACK's[™] Neem Oil Ready to Use at first sign of insects/mites. CAPTAIN JACK's[™] Neem Oil Ready to Use is most effective in controlling insects/mites when applied on a 7-14 day schedule. For heavy insect populations, apply on a 7-day schedule. Spray to run off. Complete coverage of all plant tissue is necessary for control.

STORAGE & DISPOSAL

<u>Pesticide Storage:</u> Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing.

Pesticide and Container Handling: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID	
If inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in eyes:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
lf on skin or clothing:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
calling a p	oroduct container or label with you when oison control center or doctor, or going for Hot Line Number 1-800-858-7378.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if inhaled. Avoid breathing spray mist. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

WARRANTY

Bonide Products, LLC warrants that the material contained herein conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the insect problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not strict accordance with directions given herein. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.